



PRODUCTS CATALOG

Hydraulic Tools and Equipment

TRADE IN WARRANTY

Trade In Old Unit
To Buy New

Warranty Get New Unit

happy

24

sy **PAYMENT** Hours Service

os Payment Support Free Delivery

ed by Leasing

WHY YOU CHOOSE US ?

Hydraulic Cylinder



FPY SERIES (10T - 200T)

MODEL NO.	TONS (T)	EFFECTIVE AREA (CM ²)	OIL CAP. (CM ³)	INNER DIA (MM)	OUTER DIA (MM)	TRAVEL (MM)	WEIGHT (KG)	COLLAPSED HEIGHT (MM)
FPY-10D	10	22.9	30	φ45mm	φ83mm	25mm	1.6	47mm
FPY-20D	20	37.9	51	φ60mm	φ98mm	26mm	2.8	55mm
FPY-30D	30	70.9	123	φ75mm	φ123mm	12mm	2.75	55mm
FPY-301	30	44.1	62	φ75mm	φ123mm	14mm	5.0	61mm
FPY-501	50	70.8	127	φ95mm	φ148mm	18mm	8.5	71mm
FPY-1001	100	143.0	286	φ135mm	φ188mm	20mm	19.0	90mm
FPY-1501	150	213.7	470	φ165mm	φ228mm	22mm	23.0	100mm
FPY-2001	200	268.6	698	φ185mm	φ268mm	26mm	42.0	105mm

Hydraulic Cylinder

RSC SERIES (10T - 30T)

MODEL NO.	TONS (T)	EFFECTIVE AREA (CM ²)	OIL CAP. (CM ³)	INNER DIA (MM)	OUTER DIA (MM)	TRAVEL (MM)	PISTON DIA (MM)	WEIGHT (KG)	COLLAPSE HEIGHT	MATCH PUMP
RSC-1050	10	15.9	79	φ45mm	φ64mm	50mm	φ38mm	2.3	103mm	CP-180
RSC-10100	10	15.9	159	φ45mm	φ64mm	100mm	φ38mm	3.1	150mm	CP-700
RSC-10150	10	15.9	238	φ45mm	φ64mm	150mm	φ38mm	4.6	200mm	CP-700
RSC-2050	20	28.3	141	φ60mm	φ84mm	50mm	φ50mm	4.0	105mm	CP-700
RSC-20100	20	28.3	283	φ60mm	φ84mm	100mm	φ50mm	5.7	155mm	CP-700B
RSC-20150	20	28.3	424	φ60mm	φ84mm	150mm	φ50mm	7.4	205mm	CP-700B
RSC-3050	30	44.2	221	φ75mm	φ103mm	50mm	φ65mm	6.5	110mm	CP-700
RSC-30100	30	44.2	442	φ75mm	φ103mm	100mm	φ65mm	9.0	160mm	CP-700B
RSC-30150	30	44.2	663	φ75mm	φ103mm	150mm	φ65mm	11.6	210mm	CP-700A



RSC SERIES (50T - 200T)

MODEL NO.	TONS (T)	EFFECTIVE AREA (CM ²)	OIL CAP. (CM ³)	INNER DIA (MM)	OUTER DIA (MM)	TRAVEL (MM)	PISTON DIA (MM)	WEIGHT (KG)	COLLAPSE HEIGHT	MATCH PUMP
RSC-5050	50	70.8	354	φ95mm	φ118mm	50mm	φ65mm	8.4	113mm	CP-700B
RSC-50100	50	70.8	708	φ95mm	φ118mm	100mm	φ80mm	11.5	165mm	CP-700A
RSC-50150	50	70.8	1062	φ95mm	φ118mm	150mm	φ80mm	14.6	215mm	CP-700A
RSC-10050	100	143.0	715	φ135mm	φ178mm	50mm	φ100mm	22.0	132mm	CP-700B
RSC-100100	100	143.0	1430	φ135mm	φ178mm	100mm	φ100mm	29.0	182mm	CP-700A
RSC-100150	100	143.0	2145	φ135mm	φ178mm	150mm	φ100mm	35.3	232mm	CP-700A
RSC-15050	150	213.7	1068	φ165mm	φ208mm	50mm	φ115mm	43.0	132mm	CP-700A
RSC-150100	150	213.7	2137	φ165mm	φ208mm	100mm	φ115mm	53.0	182mm	CP-700A
RSC-150150	150	213.7	3205	φ165mm	φ208mm	150mm	φ115mm	63.0	232mm	CP-700A
RSC-20050	200	268.6	1343	φ185mm	φ242mm	50mm	φ120mm	57.0	158mm	CP-700A
RSC-200100	200	268.6	2686	φ185mm	φ242mm	100mm	φ120mm	70.0	208mm	DYB-63A
RSC-200150	200	268.6	4029	φ185mm	φ242mm	150mm	φ120mm	83.0	258mm	DYB-63A

Hydraulic Cylinder

RR SERIES (10T - 300T)

MODEL NO.	TONS	EFFECTIVE AREA (cm ²)	OIL CAPACITY	INNER DIA	OUTER DIA	TRAVEL(MM)	WEIGHT(KG)	COLLAPSE HEIGHT	PUMP
RR-10200	10	15.9	318	φ45mm	φ65mm	200mm	5.5	290mm	CP-800S
RR-10250	10	15.9	397	φ45mm	φ65mm	250mm	6.5	440mm	CP-800S
RR-10300	10	15.9	477	φ45mm	φ65mm	300mm	7.5	390mm	CP-800S
RR-10400	10	15.9	636	φ45mm	φ65mm	400mm	8.5	490mm	CP-800S
RR-10500	10	15.9	795	φ45mm	φ65mm	500mm	8.5	590mm	CP-800S
RR-20200	20	28.3	566	φ60mm	φ80mm	200mm	9.6	300mm	CP-800S
RR-20300	20	28.3	849	φ60mm	φ80mm	300mm	11	400mm	CP-800S
RR-20400	20	28.3	1132	φ60mm	φ80mm	400mm	12	500mm	CP-800S
RR-20500	20	28.3	1415	φ60mm	φ80mm	500mm	13	600mm	CP-800S
RR-30200	30	38.5	770	φ70mm	φ110mm	200mm	21	305mm	CP-800S
RR-30300	30	38.5	1155	φ70mm	φ110mm	300mm	29	405mm	CP-800S
RR-30400	30	38.5	1540	φ70mm	φ110mm	400mm	30	505mm	CP-800S
RR-50200	50	63.6	1272	φ90mm	φ130mm	200mm	28	315mm	HHB-700AB
RR-50300	50	63.6	1980	φ90mm	φ130mm	300mm	32	415mm	HHB-700AB
RR-50400	50	63.6	2544	φ90mm	φ130mm	400mm	47	515mm	HHB-700AB
RR-50500	50	63.6	3180	φ90mm	φ130mm	500mm	60	615mm	HHB-700AB
RR-100200	100	132.6	2652	φ130mm	φ168mm	200mm	37	350mm	HHB-700AB
RR-100300	100	132.6	3978	φ130mm	φ168mm	300mm	66	450mm	HHB-700AB
RR-100400	100	132.6	5304	φ130mm	φ168mm	400mm	83	550mm	HHB-700AB
RR-100500	100	132.6	6630	φ130mm	φ168mm	500mm	93	650mm	HHB-700AB
RR-150150	150	213.7	3205	φ165mm	φ218mm	150mm	68	300mm	HHB-700AB
RR-150200	150	213.7	4274	φ165mm	φ218mm	200mm	86	350mm	DB300-S2
RR-150300	150	213.7	6411	φ165mm	φ218mm	300mm	88	450mm	DB300-S2
RR-200200	200	213.7	4274	φ185mm	φ240mm	200mm	88	360mm	DB300-S2
RR-200300	200	213.7	6411	φ185mm	φ240mm	300mm	98	460mm	DB300-S2
RR-30050	300	415.3	2076	φ230mm	φ299mm	50mm	130	250mm	DB300-S2
RR-300100	300	415.3	4153	φ230mm	φ299mm	100mm	152	300mm	DB300-S2



Hydraulic Cylinder



RCH SERIES (20T - 100T)

Model No.	Tons (T)	Effective Area (cm ²)	Oil Capacity (cm ³)	Travel (mm)	Inner Dia (mm)	Outer Dia (mm)	Collapsed Height (mm)	Centre Bore (mm)	Weight (kg)	Pump
RCH-2050	20	29.3	146	50mm	φ75mm	φ98mm	152mm	28mm	8	CP-700
RCH-20100	20	29.3	292	100mm	φ75mm	φ98mm	202mm	28mm	11	CP-700
RCH-3050	30	47.7	239	50mm	φ90mm	φ113mm	172mm	34mm	12.3	CP-700
RCH-30100	30	47.7	477	100mm	φ90mm	φ113mm	222mm	34mm	15.6	CP-700A
RCH-6050	60	80.3	402	50mm	φ125mm	φ158mm	190mm	54mm	29.4	CP-700A
RCH-60100	60	80.3	803	100mm	φ125mm	φ158mm	265mm	54mm	37.3	CP-700A
RCH-10075	100	135.2	1015	75mm	φ165mm	φ208mm	260mm	80mm	60.3	CP-700A

Telescopic Cylinder

DFPY SERIES (20T - 100T)



Model no.	Tons (T)	Stages/Capacity	Oil Cap. (L)	Effective Area (cm ²)	Inner Dia(mm)	Outer Dia(mm)	Travel (mm)	Weight (kg)	Collapse Height
DFPY-20	20	1Stage 20T 2Stage 10T	15.9	159	60	84	100	4.8	105
DFPY-30	30	1Stage 30T 2Stage 15T	44.1	441	75	103	100	7.0	110
DFPY-50	50	1Stage 50T 2Stage 20T 3Stage 13T	70.8	1062	95	118	150	9.5	112
DFPY-100	100	1Stage 100T 2Stage 50T 3Stage 20T	143.0	2145	135	178	150	22.0	132
DFPY-20L	20	1Stage 20T 2Stage 10T	15.9	318	45	64	200	7.0	155
DFPY-30L	30	1Stage 30T 2Stage 15T	44.1	882	75	103	200	9.8	160
DFPY-50L	50	1Stage 50T 2Stage 20T 3Stage 13T	70.8	2124	95	118	300	9.5	165
DFPY-100L	100	1Stage 100T 2Stage 50T 3Stage 20T	143.0	4290	135	178	300	22.0	182

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Electric Pump
Item No.	DYB-63A
Rated output	High pressure:70Mpa High pressure stage:0.9L/min
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36.4cm*30cm*48.2cm



Specification	Hydraulic Electric Pump
Item No.	HHB-700AB
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36.4cm*30cm*48.2cm



Specification	Hydraulic Electric Pump
Item No.	HHB-700D3
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36.4cm*30cm*48.2cm



Specification	Hydraulic Electric Pump
Item No.	DB150-S2
Rated output	High pressure :70Mpa Low pressure :10Mpa
Pump capacity	High pressure stage:1.7L/min Low pressure stage:7.9L/min
Power Rating	1.5kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Electric Pump
Item No.	DB300-S2
Rated output	High pressure :70Mpa Low pressure :10Mpa
Pump capacity	High pressure stage:2.8L/min Low pressure stage:14L/min
Power Rating	3kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L



Specification	Hydraulic Electric Pump
Item No.	DB075-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36.4cm*27.8cm*48cm



Specification	Hydraulic Electric Pump
Item No.	HHB-700A
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36cm*27.5cm*44.5cm



Specification	Hydraulic Electric Pump
Item No.	DB150-D1
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:1.7L/min Low pressure stage:7.9L/min
Power Rating	1.5kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	10L

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Electric Pump
Item No.	DB150-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:1.7L/min Low pressure stage:7.9L/min
Power Rating	1.5kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	10L



Specification	Hydraulic Electric Pump
Item No.	QQ-700
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.7L/min Low pressure stage:5L/min
Power Rating	0.62kw
RPM	3700r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	16Kgs
Package Size	25.5cm*24.3cm*39.7cm



Specification	Hydraulic Electric Pump
Item No.	DB150-D3
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:1.7L/min Low pressure stage:7.9L/min
Power Rating	1.5kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	10L



Specification	Hydraulic Electric Pump
Item No.	DB300-D1
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:2.8L/min Low pressure stage:14L/min
Power Rating	3kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L
Package Size	50.5cm*38.2cm*62.2cm

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Electric Pump
Item No.	DB150-D2B
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage: 1.7L/min Low pressure stage: 7.9L/min
Power Rating	1.5kw
Speed	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L
Package Size	50.5cm*38.2cm*62.2cm



Specification	Hydraulic Electric Pump
Item No.	DB300-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:2.8L/min Low pressure stage:14L/min
Power Rating	3kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L
Package Size	50.5cm*38.2cm*62.2cm



Specification	Hydraulic Electric Pump
Item No.	DB550-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage: 4.9L/min Low pressure stage: 30L/min
Power Rating	5.5kw
Speed	1400r/min
Working Power	50Hz/380V
Oil Capacity	100L
Package Size	70cm*52cm*100cm
Weight	141KGS



Specification	Hydraulic Electric Pump
Item No.	DB750-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage: 6.2L/min Low pressure stage: 30L/min
Power Rating	7.5kw
Speed	1400r/min
Working Power	50Hz/380V
Oil Capacity	100L
Package Size	70cm*52cm*100cm
Weight	155KGS

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment

750W



Specification	Hydraulic Electric Pump
Item No.	MEN-208E
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 0.6L/min Low pressure stage: 3.5L/min
Power Rating	0.75kw
Speed	2800r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	8L
Note	Single acting Automatic relief

750W



Specification	Hydraulic Electric Pump
Item No.	MER-228E
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 0.6L/min Low pressure stage: 3.5L/min
Power Rating	0.75kw
Speed	2800r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	8L
Note	Double acting

750W



Specification	Hydraulic Electric Pump
Item No.	MER-218EB
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 0.6L/min Low pressure stage: 3.5L/min
Power Rating	0.75kw
Speed	2800r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	8L
Note	Single acting with pressure retaining valve

750W



Specification	Hydraulic Electric Pump
Item No.	MER-248E
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 0.6L/min Low pressure stage: 3.5L/min
Power Rating	0.75kw
Speed	2800r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	8L
Note	Double acting

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3120KB
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3420KB
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting

1200W



Specification	Hydraulic Electric Pump
Item No.	MCN-603E
Rated output	High pressure :70Mpa Low pressure :≤ 3Mpa
Pump capacity	High pressure stage: 0.7L/min Low pressure stage: 3.5L/min
Power Rating	1.2kw
Working Power	50-60Hz/110V-380V
Oil Capacity	4L
Note	Single acting Automatic relief

1200W



Specification	Hydraulic Electric Pump
Item No.	MCN-604E
Rated output	High pressure :70Mpa Low pressure :≤ 3Mpa
Pump capacity	High pressure stage: 0.7L/min Low pressure stage: 3.5L/min
Power Rating	1.2kw
Working Power	50-60Hz/110V-380V
Oil Capacity	4L
Note	Double acting

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3420KB
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting with pressure retaining valve

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3220K
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3220KB
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting with pressure retaining valve

1200W



Specification	Hydraulic Electric Pump
Item No.	MCN-613EB
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 0.7L/min Low pressure stage: 3.5L/min
Power Rating	1.2kw
Working Power	50-60Hz/110V-380V
Oil Capacity	4L
Note	Double acting with pressure retaining valve

Gasoline Powered Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Gasoline Pump
Item No.	DYB-750DB
Rated output	Pressure: 75MPa
Pump capacity	High pressure stage: 1L/min Low pressure stage: 8L/min
Rev Working Power	2550r/min 50/60 Hz/110V-380V
Oil Capacity	15 L
Dimension	62cm x 38cm x 55cm



Specification	Hydraulic Manual Pump
Item No.	CP-390
Max Output Pressure	600kg/cm2
Output of Oil	High pressure stage: 1.8CC Low pressure stage: 10CC
Capacity Of Oil	400CC
Weight	7 kgs
Package Size	45cm*18.6cm*15cm



Specification	Gasoline Pump
Item No.	ZHH-700R
Rated output	Pressure: 70MPa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 6L/min
Rev Working Power	3000r/min 50/60 Hz/110V-380V
Oil Capacity	25 L
Dimension	52.5cm x 36.5cm x 51cm



Specification	Hydraulic Manual Pump
Item No.	CP-800
Max Output Pressure	High pressure stage: 70Mpa Low pressure stage: 2Mpa
Output of Oil	High pressure stage: 2.3CC Low pressure stage: 13CC
Capacity Of Oil	3000CC
Weight	15 Kgs
Package Size	73cm*24cm*27cm

Hydraulic Manual Pump

Brewdets
Hydraulic Tools and Equipment

Specification	Hydraulic Manual Pump
Item No.	CP-700
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage: 2.3CC Low pressure stage: 13CC
Capacity Of Oil	900CC
Weight	1.1 Kgs
Package Size	65.7cm*18.6cm*18.6cm



Specification	Hydraulic Manual Pump
Item No.	CP-700B
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	900CC
Weight	11,7 Kgs
Package Size	75cm*18.5cm*27cm

Specification	Hydraulic Manual Pump
Item No.	CP-180
Max Output Pressure	High pressure:60Mpa
Output of Oil	High pressure stage:20CC
Capacity Of Oil	400CC
Weight	5 Kgs
Package Size	48cm*26cm*13cm



Specification	Hydraulic Manual Pump
Item No.	CP-600
Max Output Pressure	High pressure:60Mpa
Output of Oil	High pressure stage:20CC
Capacity Of Oil	400CC
Weight	5 Kgs
Package Size	50cm*26cm*16cm



Hydraulic Manual Pump



Specification	Hydraulic Manual Pump
Item No.	CP-700A
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.26CC Low pressure stage:12.26CC
Capacity Of Oil	2800CC
Weight	14 Kgs
Package Size	75.5cm*18.3cm*19cm



Specification	Hydraulic Manual Pump
Item No.	CP-800S
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.26CC Low pressure stage:12.26CC
Capacity Of Oil	3000CC
Weight	20kgs
Package Size	73cm*24cm*27cm



Specification	Hydraulic Manual Pump
Item No.	CP-700F
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	1100CC
Weight	13kgs
Package Size	67cm*21cm*21cm



Specification	Hydraulic Manual Pump
Item No.	CP-700A-B
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.26CC Low pressure stage:12.26CC
Capacity Of Oil	2800CC
Weight	14kgs
Package Size	75.5cm*18.3cm*19cm



Specification	Hydraulic Manual Pump
Item No.	CP-1000
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	7000-7500CC
Weight	25kgs
Package Size	79cm*29cm*47cm



Specification	Hydraulic Manual Pump
Item No.	CP-150S (Double Acting)
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	21000CC
Weight	25kgs
Package Size	79cm*29cm*47cm

Hydraulic Manual Pump



Specification	Hydraulic Manual Pump
Item No.	CFP-800
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	700CC
Weight	10.8 Kgs
Package Size	66cm*20cm*30cm



Specification	Hydraulic Manual Pump
Item No.	CFR-800
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	700CC
Weight	15kgs
Package Size	62cm*22cm*28cm



Specification	Hydraulic Manual Pump
Item No.	CFP-700D
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.26CC Low pressure stage:12.26CC
Capacity Of Oil	900CC
Weight	12kgs
Package Size	45cm*15cm*20cm



Specification	Hydraulic Manual Pump
Item No.	CP-150
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	7000-7500CC
Weight	26kgs
Package Size	79cmm*29cm*47cm

Air Hydraulic Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Air Hydraulic Pump
Item No.	BQ-DA1(Polyethylene)
Rated Pressure	70Mpa
Air Pressure	1.7-8.6 (kg/cm ³)
Air Consumption	255L/min
No-Load Output Flow	1.16L/min
Output Flow Load	0.15L/min
Air Intake Por	1/4"-18NPTF
Oil Port	3/8"-18 NPTF
Capacity of oil	1.6L
Weight	5.8kgs



Specification	Air Hydraulic Pump
Item No.	BQ-DA2(Polyethylene)
Rated Pressure	70Mpa
Air Pressure	1.7-8.6 (kg/cm ³)
Air Consumption	255L/min
No-Load Output Flow	1.16L/min
Output Flow Load	0.15L/min
Air Intake Por	1/4"-18NPTF
Oil Port	3/8"-18 NPTF
Capacity of oil	2.3L
Weight	6.7kgs



Specification	Air Hydraulic Pump
Item No.	BQ-DA6(Steel Tank)
Rated Pressure	70Mpa
Air Pressure	1.7-8.6 (kg/cm ³)
Air Consumption	255L/min
No-Load Output Flow	1.16L/min
Output Flow Load	0.15L/min
Air Intake Por	1/4"-18NPTF
Oil Port	3/8"-18 NPTF
Capacity of oil	3.8L
Weight	8.8kgs



Specification	Air Hydraulic Pump
Item No.	BQ-DA5 (Alumunium Tank)
Rated Pressure	70Mpa
Air Pressure	1.7-8.6 (kg/cm ³)
Air Consumption	255L/min
No-Load Output Flow	1.16L/min
Output Flow Load	0.15L/min
Air Intake Por	1/4"-18NPTF
Oil Port	3/8"-18 NPTF
Capacity of oil	1.6L
Weight	5.8kgs

Hydraulic Flange Spreader

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Flange Spreader
Item No.	FSH-8
Capacity	8T
Tip Clearance	8mm
Max Spread Distance	81mm
Weight	9.6 Kgs



Specification	Hydraulic Flange Spreader
Item No.	FSH-14
Capacity	14T
Tip Clearance	6mm
Max Spread Distance	81mm
Available Oil	70cm
Weight	13.6 Kgs



Specification	Hydraulic Flange Spreader
Item No.	FSH-14
Capacity	14T
Tip Clearance	6mm
Max Spread Distance	81mm
Available Oil	According to the pump
Weight	8 Kgs



Specification	Hydraulic Flange Spreader
Item No.	FSH-14M
Capacity	14T
Tip Clearance	6mm
Max Spread Distance	81mm
Available Oil	70cm
Weight	11.6 Kgs

Hydraulic Nut Splitter



Specification	Hydraulic Nut Splitter
Item No.	JK-24
Force	8T
Stroke	19MM
Nut Range	14-36MM
Thread	M.8 - M.24
Weight	3.8 kg



Specification	Hydraulic Nut Splitter
Item No.	JK-27
Force	12 Ton
Stroke	22mm
Nut Range	14-41mm
Thread	M8 - M27
Weight	5 Kg



Specification	Hydraulic Nut Splitter
Item No.	JK-30
Force	14 Ton
Stroke	25MM
Nut Range	17-46MM
Thread	M10-M30
Weight	5 Kg



Specification	Hydraulic Nut Splitter
Item No.	JK-24F
Force	8 Ton
Stroke	19mm
Nut Range	14-36mm
Thread	M8-M24
Weight	2.8 Kg



Specification	Sepereable Hydraulic Nut Splitter
Item No.	JK-27F
Force	12 Ton
Stroke	22mm
Nut Range	14-41mm
Thread	M8 - M27
Weight	4 Kg



Specification	Hydraulic Nut Splitter
Item No.	JK-30F
Force	14 Ton
Stroke	26mm
Nut Range	17-46mm
Thread	M10-M30
Weight	5.8 Kgs

Separable Hydraulic Nut Splitter

Brewdets
Hydraulic Tools and Equipment



Item No	Output	Thread(mm)	Hexagon Nut Size(mm)	Weight
NC-1319	5	M6-M12	10-19	1.2
NC-1924	10	M12-M6	19-24	2.0
NC-2432	15	M16-M22	24-32	3.0
NC-3241	20	M22-M27	32-41	4.4
NC-4150	35	M27-M33	41-50	8.2
NC-5060	50	M33-M39	50-60	11.8
NC-6075	90	M39-M48	60-75	34.1

VISIT OUR WEBSITE

SCAN HERE



www.brewdets.com



www.brewdets.co.id

Brewdets

Hydraulic Tools and Equipment

PT. BREWDETS KARYA MANDIRI
Jl. TB Simatupang No.50 Cilandak Timur
Jakarta Selatan 12560
Website : www.brewdets.com
Email : sales@brewdets.com
WhatsApp : 0811-9989-66211