




PRODUCTS CATALOG

Hydraulic Tools and Equipment

TRADE IN WARRANTY

happy

Trade In Old Unit
To Buy New

Warranty Get New Unit

24

sy PAYMENT Hours Service

o Payment Support Free Delivery

e by Leasing

WHY YOU CHOOSE US ?

Hydraulic Cylinder

Brewdets
Hydraulic Tools and Equipment



FPY SERIES (10T - 200T)

MODEL NO.	TONS (T)	EFFECTIVE AREA (CM ²)	OIL CAP. (CM ³)	INNER DIA (MM)	OUTER DIA (MM)	TRAVEL (MM)	WEIGHT (KG)	COLLAPSED HEIGHT (MM)
FPY-10D	10	22.9	30	φ45mm	φ83mm	25mm	1.6	47mm
FPY-20D	20	37.9	51	φ60mm	φ98mm	26mm	2.8	55mm
FPY-30D	30	70.9	123	φ75mm	φ123mm	12mm	2.75	55mm
FPY-301	30	44.1	62	φ75mm	φ123mm	14mm	5.0	61mm
FPY-501	50	70.8	127	φ95mm	φ148mm	18mm	8.5	71mm
FPY-1001	100	143.0	286	φ135mm	φ188mm	20mm	19.0	90mm
FPY-1501	150	213.7	470	φ165mm	φ228mm	22mm	23.0	100mm
FPY-2001	200	268.6	698	φ185mm	φ268mm	26mm	42.0	105mm

Hydraulic Cylinder

Brewdets
Hydraulic Tools and Equipment

RSC SERIES (10T - 30T)

MODEL NO.	TONS (T)	EFFECTIVE AREA (CM ²)	OIL CAP. (CM ³)	INNER DIA (MM)	OUTER DIA (MM)	TRAVEL (MM)	PISTON DIA (MM)	WEIGHT (KG)	COLLAPSE HEIGHT	MATCH PUMP
RSC-1050	10	15.9	79	φ45mm	φ64mm	50mm	φ38mm	2.3	103mm	CP-180
RSC-10100	10	15.9	159	φ45mm	φ64mm	100mm	φ38mm	3.1	150mm	CP-700
RSC-10150	10	15.9	238	φ45mm	φ64mm	150mm	φ38mm	4.6	200mm	CP-700
RSC-2050	20	28.3	141	φ60mm	φ84mm	50mm	φ50mm	4.0	105mm	CP-700
RSC-20100	20	28.3	283	φ60mm	φ84mm	100mm	φ50mm	5.7	155mm	CP-700B
RSC-20150	20	28.3	424	φ60mm	φ84mm	150mm	φ50mm	7.4	205mm	CP-700B
RSC-3050	30	44.2	221	φ75mm	φ103mm	50mm	φ65mm	6.5	110mm	CP-700
RSC-30100	30	44.2	442	φ75mm	φ103mm	100mm	φ65mm	9.0	160mm	CP-700B
RSC-30150	30	44.2	663	φ75mm	φ103mm	150mm	φ65mm	11.6	210mm	CP-700A



RSC SERIES (50T - 200T)

MODEL NO.	TONS (T)	EFFECTIVE AREA (CM ²)	OIL CAP. (CM ³)	INNER DIA (MM)	OUTER DIA (MM)	TRAVEL (MM)	PISTON DIA (MM)	WEIGHT (KG)	COLLAPSE HEIGHT	MATCH PUMP
RSC-5050	50	70.8	354	φ95mm	φ118mm	50mm	φ65mm	8.4	113mm	CP-700B
RSC-50100	50	70.8	708	φ95mm	φ118mm	100mm	φ80mm	11.5	165mm	CP-700A
RSC-50150	50	70.8	1062	φ95mm	φ118mm	150mm	φ80mm	14.6	215mm	CP-700A
RSC-10050	100	143.0	715	φ135mm	φ178mm	50mm	φ100mm	22.0	132mm	CP-700B
RSC-100100	100	143.0	1430	φ135mm	φ178mm	100mm	φ100mm	29.0	182mm	CP-700A
RSC-100150	100	143.0	2145	φ135mm	φ178mm	150mm	φ100mm	35.3	232mm	CP-700A
RSC-15050	150	213.7	1068	φ165mm	φ208mm	50mm	φ115mm	43.0	132mm	CP-700A
RSC-150100	150	213.7	2137	φ165mm	φ208mm	100mm	φ115mm	53.0	182mm	CP-700A
RSC-150150	150	213.7	3205	φ165mm	φ208mm	150mm	φ115mm	63.0	232mm	CP-700A
RSC-20050	200	268.6	1343	φ185mm	φ242mm	50mm	φ120mm	57.0	158mm	CP-700A
RSC-200100	200	268.6	2686	φ185mm	φ242mm	100mm	φ120mm	70.0	208mm	DYB-63A
RSC-200150	200	268.6	4029	φ185mm	φ242mm	150mm	φ120mm	83.0	258mm	DYB-63A

Hydraulic Cylinder

Brewdets
Hydraulic Tools and Equipment

RR SERIES (10T - 300T)

MODEL NO.	TONS	EFFECTIVE AREA (cm²)	OIL CAPACITY	INNER DIA	OUTER DIA	TRAVEL(MM)	WEIGHT(KG)	COLLAPSE HEIGHT	PUMP
RR-10200	10	15.9	318	φ45mm	φ65mm	200mm	5.5	290mm	CP-800S
RR-10250	10	15.9	397	φ45mm	φ65mm	250mm	6.5	440mm	CP-800S
RR-10300	10	15.9	477	φ45mm	φ65mm	300mm	7.5	390mm	CP-800S
RR-10400	10	15.9	636	φ45mm	φ65mm	400mm	8.5	490mm	CP-800S
RR-10500	10	15.9	795	φ45mm	φ65mm	500mm	8.5	590mm	CP-800S
RR-20200	20	28.3	566	φ60mm	φ80mm	200mm	9.6	300mm	CP-800S
RR-20300	20	28.3	849	φ60mm	φ80mm	300mm	11	400mm	CP-800S
RR-20400	20	28.3	1132	φ60mm	φ80mm	400mm	12	500mm	CP-800S
RR-20500	20	28.3	1415	φ60mm	φ80mm	500mm	13	600mm	CP-800S
RR-30200	30	38.5	770	φ70mm	φ110mm	200mm	21	305mm	CP-800S
RR-30300	30	38.5	1155	φ70mm	φ110mm	300mm	29	405mm	CP-800S
RR-30400	30	38.5	1540	φ70mm	φ110mm	400mm	30	505mm	CP-800S
RR-50200	50	63.6	1272	φ90mm	φ130mm	200mm	28	315mm	HHB-700AB
RR-50300	50	63.6	1980	φ90mm	φ130mm	300mm	32	415mm	HHB-700AB
RR-50400	50	63.6	2544	φ90mm	φ130mm	400mm	47	515mm	HHB-700AB
RR-50500	50	63.6	3180	φ90mm	φ130mm	500mm	60	615mm	HHB-700AB
RR-100200	100	132.6	2652	φ130mm	φ168mm	200mm	37	350mm	HHB-700AB
RR-100300	100	132.6	3978	φ130mm	φ168mm	300mm	66	450mm	HHB-700AB
RR-100400	100	132.6	5304	φ130mm	φ168mm	400mm	83	550mm	HHB-700AB
RR-100500	100	132.6	6630	φ130mm	φ168mm	500mm	93	650mm	HHB-700AB
RR-150150	150	213.7	3205	φ165mm	φ218mm	150mm	68	300mm	HHB-700AB
RR-150200	150	213.7	4274	φ165mm	φ218mm	200mm	86	350mm	DB300-S2
RR-150300	150	213.7	6411	φ165mm	φ218mm	300mm	88	450mm	DB300-S2
RR-200200	200	213.7	4274	φ185mm	φ240mm	200mm	88	360mm	DB300-S2
RR-200300	200	213.7	6411	φ185mm	φ240mm	300mm	98	460mm	DB300-S2
RR-30050	300	415.3	2076	φ230mm	φ299mm	50mm	130	250mm	DB300-S2
RR-300100	300	415.3	4153	φ230mm	φ299mm	100mm	152	300mm	DB300-S2



Hydraulic Cylinder

Brewdets
Hydraulic Tools and Equipment



RCH SERIES (20T - 100T)

Model No.	Tons (T)	Effective Area (cm ²)	Oil Capacity (cm ³)	Travel (mm)	Inner Dia (mm)	Outer Dia (mm)	Collapsed Height (mm)	Centre Bore (mm)	Weight (kg)	Pump
RCH-2050	20	29.3	146	50mm	φ75mm	φ98mm	152mm	28mm	8	CP-700
RCH-20100	20	29.3	292	100mm	φ75mm	φ98mm	202mm	28mm	11	CP-700
RCH-3050	30	47.7	239	50mm	φ90mm	φ113mm	172mm	34mm	12.3	CP-700
RCH-30100	30	47.7	477	100mm	φ90mm	φ113mm	222mm	34mm	15.6	CP-700A
RCH-6050	60	80.3	402	50mm	φ125mm	φ158mm	190mm	54mm	29.4	CP-700A
RCH-60100	60	80.3	803	100mm	φ125mm	φ158mm	265mm	54mm	37.3	CP-700A
RCH-10075	100	135.2	1015	75mm	φ165mm	φ208mm	260mm	80mm	60.3	CP-700A

Telescopic Cylinder

Brewdets
Hydraulic Tools and Equipment

DFPY SERIES (20T - 100T)

Model no.	Tons (T)	Stages/Capacity	Oil Cap. (L)	Effective Area (cm²)	Inner Dia(mm)	Outer Dia(mm)	Travel (mm)	Weight (kg)	Collapse Height
DFPY-20	20	1Stage 20T 2Stage 10T	15.9	159	60	84	100	4.8	105
DFPY-30	30	1Stage 30T 2Stage 15T	44.1	441	75	103	100	7.0	110
DFPY-50	50	1Stage 50T 2Stage 20T 3Stage 13T	70.8	1062	95	118	150	9.5	112
DFPY-100	100	1Stage 100T 2Stage 50T 3Stage 20T	143.0	2145	135	178	150	22.0	132
DFPY-20L	20	1Stage 20T 2Stage 10T	15.9	318	45	64	200	7.0	155
DFPY-30L	30	1Stage 30T 2Stage 15T	44.1	882	75	103	200	9.8	160
DFPY-50L	50	1Stage 50T 2Stage 20T 3Stage 13T	70.8	2124	95	118	300	9.5	165
DFPY-100L	100	1Stage 100T 2Stage 50T 3Stage 20T	143.0	4290	135	178	300	22.0	182



Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Electric Pump
Item No.	DYB-63A
Rated output	High pressure:70Mpa High pressure stage:0.9L/min
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36.4cm*30cm*48.2cm



Specification	Hydraulic Electric Pump
Item No.	HHB-700AB
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36.4cm*30cm*48.2cm



Specification	Hydraulic Electric Pump
Item No.	HHB-700D3
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36.4cm*30cm*48.2cm



Specification	Hydraulic Electric Pump
Item No.	DB150-S2
Rated output	High pressure :70Mpa Low pressure :10Mpa
Pump capacity	High pressure stage:1.7L/min Low pressure stage:7.9L/min
Power Rating	1.5kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Electric Pump
Item No.	DB300-S2
Rated output	High pressure :70Mpa Low pressure :10Mpa
Pump capacity	High pressure stage:2.8L/min Low pressure stage:14L/min
Power Rating	3kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L



Specification	Hydraulic Electric Pump
Item No.	DB075-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36.4cm*27.8cm*48cm



Specification	Hydraulic Electric Pump
Item No.	HHB-700A
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.9L/min Low pressure stage:5L/min
Power Rating	0.75kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	7L
Package Size	36cm*27.5cm*44.5cm



Specification	Hydraulic Electric Pump
Item No.	DB150-D1
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:1.7L/min Low pressure stage:7.9L/min
Power Rating	1.5kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	10L

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Electric Pump
Item No.	DB150-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:1.7L/min Low pressure stage:7.9L/min
Power Rating	1.5kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	10L



Specification	Hydraulic Electric Pump
Item No.	QQ-700
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:0.7L/min Low pressure stage:5L/min
Power Rating	0.62kw
RPM	3700r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	16Kgs
Package Size	25.5cm*24.3cm*39.7cm



Specification	Hydraulic Electric Pump
Item No.	DB150-D3
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:1.7L/min Low pressure stage:7.9L/min
Power Rating	1.5kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	10L



Specification	Hydraulic Electric Pump
Item No.	DB300-D1
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:2.8L/min Low pressure stage:14L/min
Power Rating	3kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L
Package Size	50.5cm*38.2cm*62.2cm

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Electric Pump
Item No.	DB150-D2B
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage: 1.7L/min Low pressure stage: 7.9L/min
Power Rating	1.5kw
Speed	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L
Package Size	50.5cm*38.2cm*62.2cm



Specification	Hydraulic Electric Pump
Item No.	DB300-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage:2.8L/min Low pressure stage:14L/min
Power Rating	3kw
RPM	1400r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	30L
Package Size	50.5cm*38.2cm*62.2cm



Specification	Hydraulic Electric Pump
Item No.	DB550-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage: 4.9L/min Low pressure stage: 30L/min
Power Rating	5.5kw
Speed	1400r/min
Working Power	50Hz/380V
Oil Capacity	100L
Package Size	70cm*52cm*100cm
Weight	141KGS



Specification	Hydraulic Electric Pump
Item No.	DB750-D2
Rated output	High pressure :70Mpa Low pressure :7Mpa
Pump capacity	High pressure stage: 6.2L/min Low pressure stage: 30L/min
Power Rating	7.5kw
Speed	1400r/min
Working Power	50Hz/380V
Oil Capacity	100L
Package Size	70cm*52cm*100cm
Weight	155KGS

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment

750W



Specification	Hydraulic Electric Pump
Item No.	MEN-208E
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 0.6L/min Low pressure stage: 3.5L/min
Power Rating	0.75kw
Speed	2800r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	8L
Note	Single acting Automatic relief

750W



Specification	Hydraulic Electric Pump
Item No.	MER-228E
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 0.6L/min Low pressure stage: 3.5L/min
Power Rating	0.75kw
Speed	2800r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	8L
Note	Double acting

750W



Specification	Hydraulic Electric Pump
Item No.	MER-218EB
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 0.6L/min Low pressure stage: 3.5L/min
Power Rating	0.75kw
Speed	2800r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	8L
Note	Single acting with pressure retaining valve

750W



Specification	Hydraulic Electric Pump
Item No.	MER-248E
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 0.6L/min Low pressure stage: 3.5L/min
Power Rating	0.75kw
Speed	2800r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	8L
Note	Double acting

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3120KB
Rated output	High pressure :70Mpa Low pressure :≤ 2.5Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3420KB
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting

1200W



Specification	Hydraulic Electric Pump
Item No.	MCN-603E
Rated output	High pressure :70Mpa Low pressure :≤ 3Mpa
Pump capacity	High pressure stage: 0.7L/min Low pressure stage: 3.5L/min
Power Rating	1.2kw
Working Power	50-60Hz/110V-380V
Oil Capacity	4L
Note	Single acting Automatic relief

1200W



Specification	Hydraulic Electric Pump
Item No.	MCN-604E
Rated output	High pressure :70Mpa Low pressure :≤ 3Mpa
Pump capacity	High pressure stage: 0.7L/min Low pressure stage: 3.5L/min
Power Rating	1.2kw
Working Power	50-60Hz/110V-380V
Oil Capacity	4L
Note	Double acting

Hydraulic Electric Pump

Brewdets
Hydraulic Tools and Equipment

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3420KB
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting with pressure retaining valve

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3220K
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting

1.5KW



Specification	Hydraulic Electric Pump
Item No.	MER-3220KB
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 8.5L/min
Power Rating	1.5kw
Speed	1440r/min
Working Power	50-60Hz/110V-380V
Oil Capacity	15L
Note	Double acting with pressure retaining valve

1200W



Specification	Hydraulic Electric Pump
Item No.	MCN-613EB
Rated output	High pressure :70Mpa Low pressure :≤ 7Mpa
Pump capacity	High pressure stage: 0.7L/min Low pressure stage: 3.5L/min
Power Rating	1.2kw
Working Power	50-60Hz/110V-380V
Oil Capacity	4L
Note	Double acting with pressure retaining valve

Gasoline Powered Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Gasoline Pump
Item No.	DYB-750DB
Rated output	Pressure: 75MPa
Pump capacity	High pressure stage: 1L/min Low pressure stage: 8L/min
Rev Working Power	2550r/min 50/60 Hz/110V-380V
Oil Capacity	15 L
Dimension	62cm x 38cm x 55cm



Specification	Hydraulic Manual Pump
Item No.	CP-390
Max Output Pressure	600kg/cm2
Output of Oil	High pressure stage: 1.8CC Low pressure stage: 10CC
Capacity Of Oil	400CC
Weight	7 kgs
Package Size	45cm*18.6cm*15cm



Specification	Gasoline Pump
Item No.	ZHH-700R
Rated output	Pressure: 70MPa
Pump capacity	High pressure stage: 1.2L/min Low pressure stage: 6L/min
Rev Working Power	3000r/min 50/60 Hz/110V-380V
Oil Capacity	25 L
Dimension	52.5cm x 36.5cm x 51cm



Specification	Hydraulic Manual Pump
Item No.	CP-800
Max Output Pressure	High pressure stage: 70Mpa Low pressure stage: 2Mpa
Output of Oil	High pressure stage: 2.3CC Low pressure stage: 13CC
Capacity Of Oil	3000CC
Weight	15 Kgs
Package Size	73cm*24cm*27cm

Hydraulic Manual Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Manual Pump
Item No.	CP-700
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage: 2.3CC Low pressure stage: 13CC
Capacity Of Oil	900CC
Weight	1.1 Kgs
Package Size	65.7cm*18.6cm*18.6cm



Specification	Hydraulic Manual Pump
Item No.	CP-700B
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	900CC
Weight	11,7 Kgs
Package Size	75cm*18.5cm*27cm



Specification	Hydraulic Manual Pump
Item No.	CP-180
Max Output Pressure	High pressure:60Mpa
Output of Oil	High pressure stage:20CC
Capacity Of Oil	400CC
Weight	5 Kgs
Package Size	48cm*26cm*13cm



Specification	Hydraulic Manual Pump
Item No.	CP-600
Max Output Pressure	High pressure:60Mpa
Output of Oil	High pressure stage:20CC
Capacity Of Oil	400CC
Weight	5 Kgs
Package Size	50cm*26cm*16cm

Hydraulic Manual Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Manual Pump
Item No.	CP-700A
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.26CC Low pressure stage:12.26CC
Capacity Of Oil	2800CC
Weight	14 Kgs
Package Size	75.5cm*18.3cm*19cm



Specification	Hydraulic Manual Pump
Item No.	CP-800S
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.26CC Low pressure stage:12.26CC
Capacity Of Oil	3000CC
Weight	20kgs
Package Size	73cm*24cm*27cm



Specification	Hydraulic Manual Pump
Item No.	CP-700F
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	1100CC
Weight	13kgs
Package Size	67cm*21cm*21cm



Specification	Hydraulic Manual Pump
Item No.	CP-700A-B
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.26CC Low pressure stage:12.26CC
Capacity Of Oil	2800CC
Weight	14kgs
Package Size	75.5cm*18.3cm*19cm



Specification	Hydraulic Manual Pump
Item No.	CP-1000
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	7000-7500CC
Weight	25kgs
Package Size	79cmmm*29cm*47cm



Specification	Hydraulic Manual Pump
Item No.	CP-150S (Double Acting)
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	21000CC
Weight	25kgs
Package Size	79cmmm*29cm*47cm

Hydraulic Manual Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Manual Pump
Item No.	CFP-800
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	700CC
Weight	10.8 Kgs
Package Size	66cm*20cm*30cm



Specification	Hydraulic Manual Pump
Item No.	CFR-800
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	700CC
Weight	15kgs
Package Size	62cm*22cm*28cm



Specification	Hydraulic Manual Pump
Item No.	CFP-700D
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.26CC Low pressure stage:12.26CC
Capacity Of Oil	900CC
Weight	12kgs
Package Size	45cm*15cm*20cm



Specification	Hydraulic Manual Pump
Item No.	CP-150
Max Output Pressure	High pressure:70Mpa Low pressure:2Mpa
Output of Oil	High pressure stage:2.3CC Low pressure stage:13CC
Capacity Of Oil	7000-7500CC
Weight	26kgs
Package Size	79cmm*29cm*47cm

Air Hydraulic Pump

Brewdets
Hydraulic Tools and Equipment



Specification	Air Hydraulic Pump
Item No.	BQ-DA1(Polyethylene)
Rated Pressure	70Mpa
Air Pressure	1.7-8.6 (kg/cm ³)
Air Consumption	255L/min
No-Load Output Flow	1.16L/min
Output Flow Load	0.15L/min
Air Intake Por	1/4"-18NPTF
Oil Port	3/8"-18 NPTF
Capacity of oil	1.6L
Weight	5.8kgs



Specification	Air Hydraulic Pump
Item No.	BQ-DA2(Polyethylene)
Rated Pressure	70Mpa
Air Pressure	1.7-8.6 (kg/cm ³)
Air Consumption	255L/min
No-Load Output Flow	1.16L/min
Output Flow Load	0.15L/min
Air Intake Por	1/4"-18NPTF
Oil Port	3/8"-18 NPTF
Capacity of oil	2.3L
Weight	6.7kgs



Specification	Air Hydraulic Pump
Item No.	BQ-DA6(Steel Tank)
Rated Pressure	70Mpa
Air Pressure	1.7-8.6 (kg/cm ³)
Air Consumption	255L/min
No-Load Output Flow	1.16L/min
Output Flow Load	0.15L/min
Air Intake Por	1/4"-18NPTF
Oil Port	3/8"-18 NPTF
Capacity of oil	3.8L
Weight	8.8kgs



Specification	Air Hydraulic Pump
Item No.	BQ-DA5 (Alumunium Tank)
Rated Pressure	70Mpa
Air Pressure	1.7-8.6 (kg/cm ³)
Air Consumption	255L/min
No-Load Output Flow	1.16L/min
Output Flow Load	0.15L/min
Air Intake Por	1/4"-18NPTF
Oil Port	3/8"-18 NPTF
Capacity of oil	1.6L
Weight	5.8kgs

Hydraulic Flange Spreader

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Flange Spreader
Item No.	FSH-8
Capacity	8T
Tip Clearance	8mm
Max Spread Distance	81mm
Weight	9.6 Kgs



Specification	Hydraulic Flange Spreader
Item No.	FSH-14
Capacity	14T
Tip Clearance	6mm
Max Spread Distance	81mm
Available Oil	70cm
Weight	13.6 Kgs



Specification	Hydraulic Flange Spreader
Item No.	FSH-14
Capacity	14T
Tip Clearance	6mm
Max Spread Distance	81mm
Available Oil	According to the pump
Weight	8 Kgs



Specification	Hydraulic Flange Spreader
Item No.	FSH-14M
Capacity	14T
Tip Clearance	6mm
Max Spread Distance	81mm
Available Oil	70cm
Weight	11.6 Kgs

Hydraulic Nut Splitter

Brewdets
Hydraulic Tools and Equipment



Specification	Hydraulic Nut Splitter
Item No.	JK-24
Force	8T
Stroke	19MM
Nut Range	14-36MM
Thread	M.8 - M.24
Weight	3.8 kg



Specification	Hydraulic Nut Splitter
Item No.	JK-27
Force	12 Ton
Stroke	22mm
Nut Range	14-41mm
Thread	M8 - M27
Weight	5 Kg



Specification	Hydraulic Nut Splitter
Item No.	JK-30
Force	14 Ton
Stroke	25MM
Nut Range	17-46MM
Thread	M10-M30
Weight	5 Kg



Specification	Hydraulic Nut Splitter
Item No.	JK-24F
Force	8 Ton
Stroke	19mm
Nut Range	14-36mm
Thread	M8-M24
Weight	2.8 Kg



Specification	Sepereable Hydraulic Nut Splitter
Item No.	JK-27F
Force	12 Ton
Stroke	22mm
Nut Range	14-41mm
Thread	M8 - M27
Weight	4 Kg



Specification	Hydraulic Nut Splitter
Item No.	JK-30F
Force	14 Ton
Stroke	26mm
Nut Range	17-46mm
Thread	M10-M30
Weight	5.8 Kgs

Sepereable Hydraulic **Nut Splitter**



Item No	Output	Thread(mm)	Hexagon Nut Size(mm)	Weight
NC-1319	5	M6-M12	10-19	1.2
NC-1924	10	M12-M6	19-24	2.0
NC-2432	15	M16-M22	24-32	3.0
NC-3241	20	M22-M27	32-41	4.4
NC-4150	35	M27-M33	41-50	8.2
NC-5060	50	M33-M39	50-60	11.8
NC-6075	90	M39-M48	60-75	34.1

VISIT OUR WEBSITE

SCAN HERE



www.brewdets.com



www.brewdets.co.id

Brewdets

Hydraulic Tools and Equipment

PT. BREWDETS KARYA MANDIRI
Jl. TB Simatupang No.50 Cilandak Timur
Jakarta Selatan 12560
Website : www.brewdets.com
Email : sales@brewdets.com
WhatsApp : 0811-9989-66211